

ICD-10 CONCUSSION CODING CHEAT SHEET

November 2015

Code Type	Details	Concussion Diagnosed		Concussion Not Diagnosed	
		Coding sequence Code at initial evaluation	Coding sequence Code at follow-up visit	Coding sequence Code at initial evaluation	Coding sequence Code at follow-up visit (required in the deployed setting per DoDI 6490.11)
<b>TBI screening codes</b>	<ul style="list-style-type: none"> <li>DOD0121 Screen, TBI, Negative</li> <li>DOD0122 Screen, TBI, Positive</li> <li>Other options that may apply:</li> <li>DOD0123 Screen, TBI, Declined</li> <li>DOD0124 Screen, TBI, Not performed due to current TBI diagnosis</li> <li>DOD0125 Screen, TBI, not performed due to reason other than existing TBI diagnosis</li> </ul>	<p>Code 1<sup>st</sup> If reason for the visit is TBI Screening</p> <p>DOD0122 Screen, TBI, Positive</p>	NO	<p>Code 1<sup>st</sup> If reason for the visit is TBI Screening</p> <p>DOD0121 Screen, TBI, Negative</p>	NO
<b>Concussion diagnostic codes</b>	S06.0X0A/D/S Concussion, no LOC ( <i>initial/subsequent/sequela</i> )	<p>Code 2<sup>nd</sup></p> <p>S06.0X0A Concussion, No LOC, initial visit</p>	<p>Code 2<sup>nd</sup> if symptomatic or code 1<sup>st</sup> if asymptomatic</p> <p>S06.0X0D Concussion, No LOC, subsequent</p> <p>S06.0X0S Concussion, No LOC, sequela</p>	NO	NO
	S06.0X1A/D/S Concussion, LOC ≤ 30 minutes ( <i>initial/subsequent/sequela</i> )	<p>S06.0X1A Concussion, LOC ≤ 30 min, initial visit</p>	<p>S06.0X1D Concussion, LOC ≤ 30 min, subsequent</p> <p>S06.0X1S Concussion, LOC ≤ 30 min, sequela</p>	NO	NO
	S06.0X9A/D/S Concussion LOC of unspecified duration ( <i>initial/subsequent/sequela</i> )	<p>S06.0X9A Concussion, LOC of unspecified duration, initial visit</p>	<p>S06.0X9D Concussion, LOC of unspecified duration, subsequent</p> <p>S06.0X9S Concussion, LOC of unspecified duration, sequela</p>	NO	NO
<b>Symptom codes</b>	<p>Common examples:</p> <ul style="list-style-type: none"> <li>R51 Headache</li> <li>R42 Dizziness</li> </ul>	<p>Code 3<sup>rd</sup> if symptomatic (most significant symptom)</p>	<p>Code 1<sup>st</sup> if symptomatic (most significant symptom)</p>	<p>Code 2<sup>nd</sup> if symptomatic</p>	<p>Code 1<sup>st</sup> if symptomatic</p>
<b>Deployment status codes</b>	<ul style="list-style-type: none"> <li>Z56.82 Currently deployed</li> <li>Z91.82 History of deployment</li> </ul>	<p>Code 4<sup>th</sup> if applicable</p>	<p>Code 3<sup>rd</sup> if applicable</p>	<p>Code 3<sup>rd</sup> if applicable</p>	<p>Code 2<sup>nd</sup></p> <p>Z56.82 Currently deployed</p>

Code Type	Details	Concussion Diagnosed		Concussion Not Diagnosed	
		Coding sequence Code at initial evaluation	Coding sequence Code at follow-up visit	Coding sequence Code at initial evaluation	Coding sequence Code at follow-up visit (required in the deployed setting per DoDI 6490.11)
<b>External causes of morbidity</b>	Common examples: <ul style="list-style-type: none"> <li>V43.51XA/D/S Car driver injured in collision with sport utility vehicle in traffic accident (<i>initial/subsequent/sequela</i>)</li> <li>Y37.230A/D/S: Military operations involving explosion of IED, military personnel (<i>initial/subsequent/sequela</i>)</li> </ul>	Code 5 <sup>th</sup> V43.51XA Car driver injured in collision with sport utility vehicle in traffic accident, initial visit  Y37.230A Military operations involving explosion of IED, military personnel, initial visit	Code 4 <sup>th</sup> V43.51XD Car driver injured in collision with sport utility vehicle in traffic accident, subsequent  V43.51XS Car driver injured in collision with sport utility vehicle in traffic accident, sequela  Y37.230D Military operations involving explosion of IED, military personnel, subsequent  Y37.230S Military operations involving explosion of IED, military personnel, sequela	Code 4 <sup>th</sup> V43.51XA Car driver injured in collision with sport utility vehicle in traffic accident, initial visit  Y37.230A Military operations involving explosion of IED, military personnel, initial visit	Code 3 <sup>rd</sup> V43.51XD Car driver injured in collision with sport utility vehicle in traffic accident, subsequent  Y37.230D Military operations involving explosion of IED, military personnel, subsequent
<b>Place or Occurrence code</b>	Example: <ul style="list-style-type: none"> <li>Y92.007: Garden or yard of unspecified non-institutional (private) residence as the place of occurrence of the external cause</li> </ul>	Code 6 <sup>th</sup> Y92.007 Bathroom of unspecified non-institutional (private) residence single-family (private) house as the place of occurrence of the external cause	NO	Code 5 <sup>th</sup> Y92.007 Bathroom of unspecified non-institutional (private) residence single-family (private) house as the place of occurrence of the external cause	NO
<b>Activity code</b>	Example: <ul style="list-style-type: none"> <li>Y93.02: Activity, running</li> </ul>	Code 7 <sup>th</sup> Y93.02 Activity, running	NO	Code 6 <sup>th</sup> Y93.02 Activity, running	NO
<b>Personal History code</b>	<ul style="list-style-type: none"> <li>DoD0101 Personal History of TBI, Highest Level of Severity Unknown</li> <li>DoD0102, Personal History of TBI, Mild</li> </ul>	Code 8 <sup>th</sup> DoD0102, Personal History of TBI Mild	Code 5 <sup>th</sup> DoD0102, Personal History of TBI Mild	NO	NO
<b>General medical exam</b>	Z00.00 Encounter for general adult medical exam without abnormal findings	NO	NO	NO	Code 1 <sup>st</sup> in deployed setting when Soldier must return for re-eval & is asymptomatic

**COMMON SYMPTOMS ASSOCIATED WITH CONCUSSION**

November 2015

<b>Hearing</b>	
H91.93	Unspecified hearing loss, bilateral
H93.13	Tinnitus, bilateral
H93.233	Hyperacusis, bilateral
<b>Neurologic</b>	
R42	Dizziness and giddiness
G44.301	Post-traumatic headache, unspecified, intractable
G44.309	Post-traumatic headache, unspecified, not intractable
G44.311	Acute post-traumatic headache, intractable
G44.319	Acute post-traumatic headache, not intractable
G44.321	Chronic post-traumatic headache, intractable
G44.329	Chronic post-traumatic headache, not intractable
<b>Sleep</b>	
G47.00	Insomnia, unspecified
G47.01	Insomnia, due to medical condition
G47.09	Other Insomnia
G47.8	Other sleep disorders
G47.9	Sleep disorder, unspecified
<b>Vision</b>	
H53.143	Visual discomfort, bilateral (photophobia)
H53.8	Other visual disturbances
H53.9	Unspecified visual disturbance
<b>Other/General</b>	
R11.0	Nausea
R51	Headache
R53.83	Other fatigue
<b>Emotional/Behavioral</b>	
R45.0	Nervousness
R45.3	Demoralization and Apathy
R45.4	Irritability and anger
R45.86	Emotional lability
R45.87	Impulsiveness
R45.89	Other signs and symptoms involving emotional state
<b>Cognitive/Linguistic</b>	
R41.840	Attention and concentration deficit (excludes ADHD)
R41.841	Cognitive-communication deficit
R41.842	Visuospatial deficit

